


# 400 Sport



## SPECIFICATIONS

Beam	13'5"	4,09 m
Bridge Clearance <i>with arch</i>	14'1"	4,29 m
Cabin Headroom	6'7"	2,00 m
Draft	31.5"	0,80 m
Fuel System - <i>Gas or Diesel Twin Inboards</i>	334 U.S. gals.	1264 liters
Holding Tank	45 U.S. gals.	170 liters
LOA <i>with platform</i>	39'11"	12,17 m
Sleeps	4	
Water System	86 U.S. gals.	326 liters
Weight <i>with fuel &amp; water</i>	25,000 lbs.	11566 kg

### CONSTRUCTION

- Cherry wood bulkheads, cabinetry, trim, & doors throughout cabin, with high-gloss finish
- Fabricated aluminum floor frames with stainless steel stanchions
- Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, & cabintops
- Molded fiberglass stringer system
- Solid fiberglass hull bottoms with Knytex substrates & vinylester barrier coat
- Structural engine mountings - reinforced stringer mountings with double-gusseted, angle steel plates
- Tinted, tempered safety glass frameless window systems
- Unitized deck, cockpit, & cabintop construction with integral aluminum truss reinforcement in cabintop structure

### MECHANICAL

- Air conditioning - 2-zone; 32,000 BTU; with reverse cycle heat; dedicated shore power connector
- Carver Docking System™ or IPS controls with IPS engine option
- Cutlass bearings - synthetic rubber composite
- Dripless shaft logs
- Exhaust mufflers - engines, generator
- Fresh water cooling - engines
- Fuel tanks - welded, baffled 5052 aluminum
- Hydraulic steering
- Internal seawater strainers
- Propellers - manufacturer-certified
- Propeller shafts - Aquamet®
- Rudders & struts - 421 manganese bronze
- Trim tabs - stainless steel, hydraulic

### ELECTRICAL

- AC/DC distribution panels with magnetic circuit breakers & integral bilge blower controls; AC & DC voltmeters; AC ammeter
- Batteries (4) - deep cycle, marine (12V)
- Battery chargers (2) - electronic, AC-DC converters
- External connectors - CATV, telephone
- Generator - 6 kW Kohler®, gasoline
- Ground Fault Circuit Interrupt (GFCI) protection - all electrical outlets
- Shore power connectors (2) - 30 amp
- Shore power cords (2) - 15,2 m
- Wiring system - tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

### WATER & HOLDING SYSTEMS

- Fresh water system - pressurized (12V), with large-capacity filter
- Fresh water storage tank - polyethylene
- Fresh water tank level monitor
- Hot & cold transom handshower
- Shore water connection with pressure-reduction valve
- Shower sump pump - automatic/manual operation
- Waste holding tank - with filtered vent & dockside pumpout
- Waste tank level monitor
- Water & waste lines - constructed of molecularly cross-linked polyethylene
- Water heater - 41,6 liters

### SAFETY & NAVIGATION

- 65-5-5-5 marine grade bronze seacocks for all underwater thru-hulls
- Anodes - zinc, sacrificial
- Battery master disconnect switches
- Battery restraint boxes & straps
- Bilge alarm - high water
- Bilge blowers (12V)
- Bilge pumps (3) - 5678 lph each, automatic/manual operation
- CO detectors in salon & staterooms
- Compass - illuminated, dual-read
- Engine alarms - temperature & oil pressure
- Fire suppression system - automatic, FE421 (FM200 in European Community)
- Galvanic isolator/zinc saver
- Horn - air/electric (12V), trumpet
- Internal bonding system
- Molded nonskid surfaces on all walk decks - diamond pattern
- Navigation lights (COLREGS)
- Spotlight
- Windlass package - with 15,8 kg anchor & 38,1 m of 0,8 cm chain

### DECKS

- Bow rail - 2,5 cm O.D., lineal-buffed, welded stainless steel, with additional intermediate rail amidships & forward
- Bow rail stanchions - double-welded (*inside & outside*), stainless steel, anchored to aluminum backing plates laminated into deck
- Cleats - 25 cm stainless steel: anchor (1), bow (2), spring (4), stern (2) - bolted through aluminum backing plate
- Deck toe rail
- Grab rails (2) - stainless steel, on cabin sides
- Over-the-stem anchor roller
- Rub rail molding - heavy-duty, stainless steel insert

### BOARDING PLATFORM

- 3,25 m<sup>2</sup> approx., integral to hull & deck
- Boarding ladder - telescoping, conceals in boarding platform

### ENGINE ROOM

- Bilges coated with white, low-VOC gelcoat
- Bulkheads laminated to hull sides & stringers
- Insulation - acoustical & thermal, vinyl vapor barrier
- Lights (5) - 3 fluorescent, 2 halogen (*in aft bilge*), overhead, controls mounted in salon

### COCKPIT

- 8,5 m<sup>2</sup> approx., integral to hull & deck, self-draining
- Boarding access from port or starboard dock
- Command bridge stairway - integral to deck with stainless steel hand rail, overhead stainless steel grab rail, 3 courtesy lights
- Electrical outlet
- Hatch - guttered, supported by gas shock, provides aft bilge access
- Lights (3) - courtesy, recessed, with exterior-mounted switch
- Lights (2) - halogen, overhead, recessed, with exterior-mounted switch
- Overhead sun/weather protection - 0,96 m from cabin toward stern
- Side deck stairways (2) - integral to deck with grab rail, 2 courtesy lights
- Storage locker - in transom
- Storage lockers (2) - recessed in sole
- Transom door - fiberglass, secures open & closed, stainless steel hardware

### COMMAND BRIDGE

- Access panel - behind lounge backrest, provides access to helm wiring
- Electronics arch - custom aluminum with acrylic polyurethane surface coating & UV protection
- Electronics arch access plates (5) - corrosion-resistant polymer attached with noncorroding screws & waterproof sealant
- Lights (2) - courtesy, recessed, with exterior-mounted switch
- Lounge - with storage beneath, accommodates 4 adults
- Self-draining walk surface
- Storage lockers (2)
- Table - molded fiberglass, sliding, in front of lounge
- Wet bar - molded fiberglass, integral self-draining sink, cold water tap, 2 storage cabinets beneath
- Windshield - wraparound, tinted glass, painted stainless steel frame

### HELM

- Accessory space - for installing navigation equipment
- Adapter - 12V
- Beverage holders (2) - self-draining
- Companion helm seat - adjustable, pedestal base, high-quality marine-grade upholstery, embroidery stitching
- Dash - molded fiberglass with brushed aluminum accents
- DC circuit breaker panel for helm electronics
- Engine hourmeter - digital, LCD (1 per engine)
- Gauges - analog; synchronizer; rudder angle; tachometer, oil pressure, engine temperature, fuel level, engine battery voltage (1 per engine)
- Grab rail - stainless steel, behind helm & companion seats
- Helm seat - adjustable, pedestal base, high-quality marine-grade upholstery, embroidery stitching
- Rocker switch controls
- Stereo speakers (2)
- Tilt steering wheel

### SALON

- Carpet - tufted cut pile, 1,8 kg., crush-resistant, 100% nylon
- Countertops - cherry wood with sea rail
- Curtains - décor-matched
- Décor package - 5-piece decorator pillow set
- Designer décor
- Electrical outlet
- Entertainment group - AM/FM/CD stereo, wire only for TV/DVD
- Entrance door - tinted glass, aluminum frame, curved, sliding, handle lock, 2 deadbolts, with interior screen
- Floor access hatches - engine room
- Lights (3) - halogen, overhead, recessed
- Rocker light switches
- Sofa - Flexsteel®, with storage beneath
- Stereo speaker
- Storage cabinets (3)
- Telephone connector

### GALLEY

- Coffee maker - 110V
- Countertops - solid surface, with stainless steel sea rail in polished & brass finishes
- Curtains - décor-matched
- Designer décor
- Electrical outlet
- Flooring - wood plank
- Lights (2) - halogen, overhead, recessed
- Oven - convection / microwave / grill, built-in
- Range - electric, 2-burner, glass top
- Refrigerator/freezer - side-by-side
- Rocker light switches
- Sink - stainless steel, with solid surface cover
- Stereo speaker
- Storage cabinets (3)
- Storage drawers (4)
- Vent fan - above range
- Waste container - recessed in countertop, with flush-mounted solid surface cover

### DINETTE

- Carpet - tufted cut pile, 1,8 kg., crush-resistant, 100% nylon
- Curtains - décor-matched
- Lights (4) - halogen, overhead, recessed
- Lounge - L-shaped
- Rocker light switch
- Table - cherry wood top; 2 brushed aluminum legs

### COMPANIONWAY

- AC & DC distribution panels
- Carpet - tufted cut pile, 1,8 kg., crush-resistant, 100% nylon
- Countertop - cherry wood with sea rail
- Curtains - décor-matched
- Hand rail - stainless steel, on stairway
- Hull portlight - with screen
- Lights (2) - courtesy, recessed
- Rocker light switch
- Storage cabinet - with sliding, curved, cherry wood tambour door

## MASTER STATEROOM

- Berth - queen, pillowtop innerspring mattress
- Berth step-ups (2) - carpeted
- Carpet - tufted cut pile, 1,8 kg., crush-resistant, 100% nylon
- Curtains - décor-matched
- Designer décor
- Electrical outlet
- Entrance door - solid cherry wood, pocket-style, secures open & closed, stainless steel hardware
- Hanging lockers (2) - automatic light, 3 shelves in each with sea rails
- Hull portlights (2) - with screen
- Lights (3) - halogen, overhead, recessed
- Lights (2) - halogen, overhead, directable for reading
- Mirror - on forward bulkhead, conceals anchor chain locker access
- Overhead hatch - tinted, lockable, inside screen
- Private head access
- Rocker light switches
- Sheet set embroidered with Carver® logo - fitted sheet, flat sheet, two pillow cases
- Stereo speakers (2)
- Storage cabinets (7)
- Storage drawer
- Surround shelves - cherry wood with sea rail
- Telephone connector

## OWNER PREFERENCE ITEMS

### PROPULSION:

#### Gasoline Engines

- Crusader® 6 MPI - 375 hp\* (includes fresh water cooling)
- Crusader® 8,1 MPI - 385 hp (includes fresh water cooling)
- Volvo Penta® 8,1 GI - 375 hp (includes fresh water cooling)

#### Diesel Engines

- Yanmar Marine® 6LPA-STP - 315 hp
- Volvo Penta® D6 - 310 hp
- Volvo Penta® D6 - 370 hp
- Volvo Penta® IPS 400 - 310 hp

### MECHANICAL:

- Engine oil change system

### ELECTRICAL:

#### Generator

- Kohler® 6 kW\* gasoline
- Kohler® 6,5 kW diesel
- Kohler® 7 kW diesel

### WATER &

#### HOLDING SYSTEMS:

- Grey water holding system
- Overboard discharge system

#### Transom & Bow Washdowns

- Both fresh & seawater
- Fresh water
- Seawater

### SAFETY & NAVIGATION:

- Fender racks

#### Navigation

#### Electronics Package

- Bridge Package - E80 multifunction unit, Raymarine® 240 VHF (hand set), 125 WASS GPS sensor, DSM 300 sonar, E66056 transducer

#### Spare Propellers & Shaft

- For gasoline engines
- For diesel engines (excluded Volvo IPS 400)

### AMENITIES:

#### Boot Stripe (painted)

- Black
- Blue\*

#### Bridge layout

- Bridge aft
- Bridge forward\*

#### Canvas

- Prestige bimini top
- Prestige full canvas with carpet

#### Exterior

- Bridge cover
- Bridge hardtop
- Bridge hardtop enclosures
- Bridge lounge slip covers & pillows
- Carpet
- Foredeck sunpad
- Sport package

## HEAD

- Clothes hook & towel ring
- Electrical outlet
- Entrance doors (2) - one to master stateroom & one to galley, solid cherry wood, secure closed, stainless steel hardware
- Hardware highlights - brass/ chrome
- Head fan
- Hull portlight - privacy glass, with screen
- Lights (2) - halogen, overhead, recessed
- Medicine cabinet - mirrored doors, 2 shelves with sea rails
- Nonskid sole
- Rocker light switch
- Skylight
- Towel set - bath towel, hand towel, washcloth
- Vanity - granite-style top & backsplash, integral sink, storage beneath with 2 doors

### Shower Stall / Water Closet

- Countertop - granite-style
- Lights (2) - halogen, overhead, recessed
- Nonskid sole
- Shower door - clear acrylic in aluminum frame, bi-fold, secures open & closed, stainless steel hardware, matching sidelights
- Shower head - removable for use as hand-shower
- Storage cabinets (2)
- Toilet - vacuum flush, pedestal
- Toilet paper holder & towel bar

## VIP STATEROOM

- Berth - double, converts to twins with removable center filler, with berth covers
- Carpet - tufted cut pile, 1,8 kg., crush-resistant, 100% nylon
- Countertops - cherry wood
- Curtains - décor-matched
- Designer décor
- Electrical outlet
- Entrance door - solid cherry wood, split, pocket-style, secures open & closed, stainless steel hardware
- Hull portlight
- Lights (4) - halogen, overhead, recessed
- Light - halogen, sconce, directable for reading
- Rocker light switch
- Shelves (2) - cherry wood, recessed
- Storage - beneath mattress
- Storage cabinets (3)

### Salon

- Pillow set - decorator, 6-piece
- Stereo addition: remote-mounted CD player
- Icemaker - 220V

### Salon Sofa

- Double incliners
- Storage\*
- Stowaway bed

### Stateroom

#### Master Stateroom

- TV wire only

### DÉCOR

#### Canvas Color

- Black Sunbrella®

- Cadette Grey
- Captain's Navy
- Charcoal Tweed
- Toast
- White Stamoid\*\*





### Ensemble

- Aegean (blue/green tones) Interior Seating: Diplomat Cocoa\* OR Diplomat Snow
- Belize (beige/neutral tones)\* Interior Seating: Diplomat Brandy\* OR Diplomat Sand
- Caspian (black & ivory tones) Interior Seating: Diplomat Black\* OR Diplomat Sand

\*Standard

# 400 Sport

FLOOR PLANS



— BRIDGE AFT —



Carver Boat Corporation LLC  
P. O. Box 1010 • Pulaski, WI 54162-1010 • 920.822.1600