


440 Sport



SPECIFICATIONS

Beam	13'11"	4,24 m
Bridge Clearance <i>with arch</i>	19'5"	74 m
Cabin Headroom	6'6"	1,98 m
Draft	46"	1,17 m
Fuel System - <i>Gas or Diesel Twin Inboards</i>	400 U.S. gals.	1818,44 liters
Holding Tank	50 U.S. gals.	227 liters
LOA <i>with platform</i>	43'7"	13,28 m
Sleeps	4 (6 <i>optional</i>)	
Water System	90 U.S. gals.	409 liters
Weight <i>with fuel & water</i>	33,650 lbs.	15263 kg

CONSTRUCTION

- Cherry wood bulkheads, cabinetry, trim, & doors throughout cabin, with high-gloss finish
- Fabricated aluminum floor frames with stainless steel stanchions
- Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, & cabintops
- Molded fiberglass stringer system
- Structural engine mountings - reinforced stringer mountings with gusseted, angle steel plates
- Solid fiberglass hull bottoms with Knytex substrates & vinylester barrier coat
- Tinted, tempered safety glass frameless window systems
- Unitized deck, cockpit, & cabintop construction with integral aluminum truss reinforcement in cabintop structure

MECHANICAL

- Air conditioning - 3-zone, with reverse cycle heat
- Carver Docking System™ or IPS joystick with IPS engine option
- Cutlass bearings - synthetic rubber composite
- Dripless shaft logs
- Exhaust mufflers - engines, generator
- Fresh water cooling - engines
- Fuel tanks - welded, baffled 5052 aluminum
- Hydraulic steering
- Internal seawater strainers
- Propellers - manufacturer-certified
- Propeller shafts - Aquamet®
- Rudders & struts - 421 manganese bronze
- Trim tabs - stainless steel, hydraulic

ELECTRICAL

- AC/DC distribution panels with magnetic circuit breakers & integral bilge blower controls; AC & DC voltmeters; AC & DC ammeters
- Batteries (4) - deep cycle, marine (12V)
- Battery chargers (2) - electronic, AC-DC converters
- External connectors - CATV, telephone
- Generator - 9 kW, Kohler® gasoline
- Ground Fault Circuit Interrupt (GFCI) protection - all electrical outlets
- Shore power connectors (2) - 50 amp
- Shore power cords (2) - 15,2 cm
- Wiring system - tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

WATER & HOLDING SYSTEMS

- Fresh water system - pressurized (12V), with large-capacity filter
- Fresh water storage tank - polyethylene
- Fresh water tank level monitor
- Hot & cold transom handshower
- Shore water connection with pressure-reduction valve
- Shower sump pump - automatic/manual operation
- Waste holding tank - with filtered vent & dockside pumpout
- Waste tank level monitor
- Water & waste lines - constructed of molecularly cross-linked polyethylene
- Water heater - 41,6 liters

SAFETY & NAVIGATION

- 65-5-5-5 marine grade bronze seacocks for all underwater thru-hulls
- Anodes - zinc, sacrificial
- Battery master disconnect switches
- Battery restraint brackets
- Bilge alarms (2) - high water
- Bilge blowers (12V)
- Bilge pumps (3) - 5678 lph each, automatic/manual operation
- CO detectors in salon & staterooms
- Compass - illuminated, dual-read
- Engine alarms - temperature & oil pressure
- Fire suppression system - automatic, FE421 (FM200 in European Community)
- Galvanic isolator/zinc saver
- Horn - air/electric (12V), trumpet
- Internal bonding system
- Isolation transformers on the internal shore power lines
- Molded nonskid surfaces on all walk decks - diamond pattern
- Navigation lights (COLREGS)
- Spotlight
- Windlass package - with 15,8 kg. anchor & 45,7 m of 0,8 cm chain

DECKS

- Bow rail - 2,5 cm O.D., lineal-buffed, welded stainless steel, with additional intermediate rail amidships & forward
- Bow rail stanchions - double-welded (*inside & outside*), stainless steel, anchored to aluminum backing plates laminated into deck
- Cleats - [30,4 cm stainless steel: anchor (1), bow (2), stern (2)]; [25,4 cm stainless steel: , spring (4)] - bolted through aluminum backing plate
- Deck toe rails
- Grab rail - stainless steel, over cabin windows, running length of cabin
- Over-the-stem anchor roller
- Rub rail molding - heavy-duty, stainless steel insert

BOARDING PLATFORM

- 4,02 m² approx., integral to hull & deck
- Boarding ladder - telescoping, conceals in boarding platform
- Grab rail (1) - stainless steel, mounted above boarding ladder

ENGINE ROOM

- Bilges coated with white, low-VOC gelcoat
- Bulkheads laminated to hull sides & stringers
- Insulation - acoustical & thermal, vinyl vapor barrier
- Lights (6) - halogen, overhead, controls mounted in cockpit

COCKPIT

- 4,26 m² approx., integral to hull & deck, self-draining
- Command bridge stairway - integral to deck with stainless steel hand rail
- Electrical outlet
- Hatch - guttered, supported by gas shock, provides access to aft bilge
- Lights (6) - courtesy, recessed, with exterior-mounted switch
- Lights (3) - halogen, overhead, recessed, with exterior-mounted switch
- Locker - in-deck, self-draining, for fender storage & anchor chain
- Overhead sun/weather protection - 1,8 m from cabin toward stern
- Side deck stairways (2) - integral to deck with stainless steel grab rail
- Storage locker (2) - double doors, in transom
- Transom door - secures open & closed, stainless steel hardware

COMMAND BRIDGE

- Electronics arch - custom aluminum with acrylic polyurethane surface coating & UV protection
- Electronics arch access plates (3) - corrosion-resistant polymer attached with noncorroding screws & waterproof sealant
- Lights (3) - courtesy, recessed, with exterior-mounted switch
- Lounge - wraparound, accommodates 4 adults, storage beneath
- Self-draining walk surface
- Table - recessed top
- Wet bar - self-draining under-mounted sink, solid surface countertop, storage beneath

- Coffeemaker - 110V
- Countertops - solid surface
- Curtains - décor-matched
- Designer décor
- Electrical outlet
- Flooring - wood plank
- Lights (3) - halogen, over countertop, recessed
- Light - halogen, overhead, recessed
- Oven - convection/microwave, built-in

HELM

- Access panel - provides access to wiring below helm
- Accessory space - for installing navigation equipment
- Adapter - 12V
- Beverage holders (3) - self-draining
- Companion helm seat - double-wide, starboard side
- Dash - molded fiberglass with brushed aluminum accents & black leather accents
- DC distribution panel - bridge 12V systems
- Engine hourmeter - digital LCD (1 per engine)
- Gauges - analog; rudder angle; tachometer, oil pressure, engine temperature, fuel level, engine battery voltage (1 per engine)
- Grab rails & storage compartment in front of companion lounge
- Helm seat - adjustable, pedestal base, high-quality marine-grade upholstery, embroidery stitching
- Lights (3) - courtesy, recessed
- Rocker switch controls
- Stereo speakers (2) - pre-wired
- Tilt steering wheel
- Windshield - tinted, wraparound, aluminum frame

SALON

- AC & DC distribution panels
- Carpet - tufted cut pile, 1,8 kg., crush-resistant, 100% nylon
- Chairs (2) - Flexsteel®
- Countertops - sapele pommele wood inlay with cherry wood sea rail
- Curtains - décor-matched
- Décor package - 5-piece decorator pillow set
- Designer décor
- Electrical outlet
- Entertainment group - AM/FM/CD stereo, wire for TV/DVD
- Entrance door - aluminum frame, sliding, handle lock, deadbolt, with interior screen
- Floor access hatches - engine room
- Lights - (11) halogen, overhead, recessed
- Rocker light switches
- Sofa - Flexsteel®, with storage
- Stereo speakers (2)
- Storage cabinets (2)
- Storage compartment (1)
- Telephone connector

GALLEY

- Range - electric, 2-burner, smooth top
- Refrigerator/freezer - upright
- Rocker light switch
- Sink - stainless steel, under-mounted
- Storage cabinets (3)
- Storage drawer (1)
- Utility room access - storage

DINETTE

- Carpet - tufted cut pile, 1,8 kg., crush-resistant, 100% nylon
- Curtains - décor-matched
- Lights (5) - halogen, overhead, recessed
- Lounge - L-shaped
- Rocker light switch
- Table - sapele pommele wood inlay top with cherry wood sea rail; table base has side storage cabinet & (3) drawers

MASTER STATEROOM

- Berth - queen, pillow top innerspring mattress
- Berth step-ups (2) - carpeted
- Carpet - tufted cut pile, 1,8 kg., crush-resistant, 100% nylon
- Curtains - décor-matched
- Designer décor
- Electrical outlet
- Entrance door - solid cherry wood, pocket-style, secures open & closed, stainless steel hardware
- Hanging locker - cedar-lined, automatic light
- Hull portlights (2)
- Ledges (2) - cherry wood, sapele pommele wood inlay with cherry wood sea rail top
- Lights (6) - halogen, overhead, recessed
- Mirrored headboard
- Overhead hatch - translucent, lockable, inside screen
- Rocker light switches
- Sheet set embroidered with Carver® logo - fitted sheet, flat sheet, two pillow cases
- Stereo speakers (2)
- Storage cabinets (6)
- Storage drawers (2)
- Telephone connector

MASTER HEAD

- Electrical outlet
- Entrance door - from master stateroom, solid cherry wood, secures open & closed, stainless steel hardware
- Head fan
- Hull portlight - privacy glass, with screen
- Lights (4) - halogen, overhead, recessed
- Medicine cabinets (3) - mirrored fascia
- Nonskid sole
- Rocker light switches
- Toilet - vacuum flush, pedestal
- Towel ring & toilet paper holder - wall-mounted
- Towel set - bath towel, hand towel, washcloth
- Vanity - solid surface top & backsplash, undermounted sink, drawer & storage cabinet beneath
- Shower Stall
- Bench seat - integral
- Hull portlight - privacy glass, with screen
- Light - halogen, overhead, recessed
- Nonskid sole
- Shower curtain - décor matched
- Shower door - from master stateroom, solid cherry wood, secure closed, stainless steel hardware
- Shower head - removable for use as handshower
- Shelf - solid surface
- Storage cabinet - mirrored fascia
- Towel bar

VIP STATEROOM

- Berth - double, pillow top with storage beneath
- Berth endtable - sapele pommele inlay with cherry wood trim & sea rail
- Carpet - tufted cut pile, 1,8 kg., crush-resistant, 100% nylon
- Countertops - sapele pommele wood inlay with ultraleather sea rail
- Curtains - décor-matched
- Designer décor
- Electrical outlet
- Entrance door - solid cherry wood, secures open & closed, stainless steel hardware
- Hanging locker - cedar-lined, automatic light, mirrored fascia
- Lights - (6) halogen, overhead, recessed
- Lights - (2) incandescent, directable for reading
- Headboard - mirrored fascia with storage cabinet
- Hull portlights (2) - with screen
- Rocker light switch
- Sheet set embroidered with Carver® logo - fitted sheet, flat sheet, two pillow cases
- Storage cabinets (2)
- Storage drawers (2)

VIP HEAD

- Electrical outlet
- Entrance door from companionway, solid cherry wood, secures open & closed, stainless steel hardware
- Head fan
- Lights (3) - halogen, overhead, recessed
- Cabinet - mirrored fascia
- Nonskid sole
- Rocker light switches
- Robe hook
- Toilet - vacuum flush, pedestal
- Towel ring & toilet paper holder - wall-mounted
- Towel set - bath towel, hand towel, washcloth
- Vanity - solid surface top, storage cabinet beneath
- Shower Stall
- Light - halogen, overhead, recessed
- Nonskid sole
- Shower door - acrylic sliding door
- Shower head

OWNER PREFERENCE ITEMS

PROPULSION:

Gasoline Engines

- Crusader® 8,1 MPI - 385 hp*
(includes fresh water cooling)
- Volvo Penta® 8,1 GI - 375 hp
(includes fresh water cooling)

Diesel Engines

- Volvo Penta® D6 - 370 hp
- Volvo Penta® D6 - 435 hp
- Volvo Penta® IPS 500 - 370 hp
- Volvo Penta® IPS 600 - 435 hp
- Yanmar Marine® 6LY3A - 440 hp

MECHANICAL:

- Engine oil change system
- Single station electronic controls with synchronizer (gas engine only)

ELECTRICAL:

Generator

- Kohler® 9 kW* gasoline
- Kohler® 9 kW diesel

WATER & HOLDING SYSTEMS:

- Grey water holding system
- Overboard discharge system

Transom & Bow Washdowns

- Both fresh & seawater
- Fresh water only
- Seawater only

SAFETY & NAVIGATION:

- Fender racks

Navigation

Electronics Package

- Bridge Package - E80 multifunction unit, Raymarine® 240 VHF (hand set), 125 WASS GPS sensor, DSM 300 sonar, E66056 transducer
- Bridge Package plus Radar - Includes above bridge package plus 4KW scanner open array

Spare Propellers & Shaft

- For gasoline engines
- For diesel engines
(excludes Volvo IPS engines)

AMENITIES:

Boot Stripe (painted)

- Black
- Blue*

Bridge Seating

- Bench seating
- Pedestal seating*

Bridge Layout

- Standard bridge*
- Extended bridge

Bridge Wet Bar

- Icemaker
- Refrigerator
- Storage*

Canvas

- Prestige bimini top
- Prestige full canvas with carpet

Exterior

- Bridge air system
- Bridge carpet
- Bridge hardtop
- Bridge hardtop enclosures
- Bridge lounge slip covers & pillows
- Bridge stereo - AM/FM/CD changer, antenna, speakers
- Foredeck sunpad
- Helm & seat covers

Salon

- Central vacuum system - 220V
- Pillow set - decorator, 6-piece
- Stereo addition: remote-mounted 6 disc CD player

Salon Sofa

- Double incliners
- Storage*
- Stowaway bed

Staterooms

Master Stateroom

- TV wire only
- Washer & Dryer - 220V

VIP Stateroom

- TV wire only

DÉCOR:

Canvas Color




- Black Sunbrella®
- Cadette Grey
- Captain's Navy
- Charcoal Tweed
- Toast
- White Stamoid®*

Ensemble

- Aegean (blue/green tones)
Interior Seating: Diplomat Cocoa* OR Diplomat Snow
- Belize (beige/neutral tones)*
Interior Seating: Diplomat Brandy* OR Diplomat Sand
- Caspian (black & ivory tones)
Interior Seating: Diplomat Black* OR Diplomat Sand

440 Sport

FLOOR PLANS



— EXTENDED BRIDGE —



Carver Boat Corporation LLC
P. O. Box 1010 • Pulaski, WI 54162-1010 • 920.822.1600